


Product Overview: Programmable thermostatic controller, it warms up floors quickly, helping keep them drier, safer and more comfortable to walk on.

- Benefits:**
- Keeps floors dry for the safety of the user
 - Digital programmable thermostatic controller
 - Low installation height
 - Flexible siting of programmer
 - Easy and Quick to install
 - Comfort or main heat
 - Low floor temperatures
 - Quick warm-up
 - Economic to use



- Features:**
- One side connection to programmer
 - 4 mtr power cable
 - Multimeter to check installation at every stage
 - Floor sensor
 - Sensor tube
 - Control check card
 - Manual override
 - Trimmable
 - 15 Sizes available



Guarantee & Approvals:

- 10 year warranty (2 years on thermostat & sensor)



Sizes & Options:


Available in a number of different sizes the best fit possible:

- | | | |
|---------------------|---------------------|--------------------|
| • 1m ² | • 3.5m ² | • 7m ² |
| • 1.5m ² | • 4m ² | • 8m ² |
| • 2m ² | • 4.5m ² | • 9m ² |
| • 2.5m ² | • 5m ² | • 10m ² |
| • 3m ² | • 6m ² | • 12m ² |


Product Specification:

Power Supply	230V - 16Amp
Maximum Capacity	3000W
Temperature Range	5°C - 90°C
Protection Rating	IP20
Warranty	2 Years
Examination	CE

Heat Outputs			
Type m2	Wattage	Amps	Ohms
1m ²	150W	.65	353
1.5m ²	225W	.97	237
2m ²	300W	1.30	177
2.5m ²	375W	1.63	141
3m ²	450W	1.96	117
3.5m ²	525W	2.28	101
4m ²	600W	2.61	88
4.5m ²	675W	2.93	78
5m ²	750W	3.26	71
6m ²	900W	3.91	59
7m ²	1050W	4.56	50
8m ²	1200W	5.22	44
9m ²	1350W	5.86	39
10m ²	1500W	6.52	35
11m ²	1650W	7.17	32
12m ²	1800W	7.83	29



Installation Laying Example:



Product Codes:

Description	Code
Low Surface Temperature 150W 0.5m underfloor heating unit 1sqm	23438
Low Surface Temperature 225W 0.5m underfloor heating unit 1.5sqm	23439
Low Surface Temperature 300W 0.5m underfloor heating unit 2sqm	23440
Low Surface Temperature 375W 0.5m underfloor heating unit 2.5sqm	23441
Low Surface Temperature 450W 0.5m underfloor heating unit 3sqm	22442
Low Surface Temperature 1500W 0.5m underfloor heating unit 3.5sqm	22443
Low Surface Temperature 600W 0.5m underfloor heating unit 4sqm	23444
Low Surface Temperature 675W 0.5m underfloor heating unit 4.5sqm	23445
Low Surface Temperature 750W 0.5m underfloor heating unit 5sqm	23446
Low Surface Temperature 900W 0.5m underfloor heating unit 6sqm	23447
Low Surface Temperature 1050W 0.5m underfloor heating unit 7sqm	23448
Low Surface Temperature 1200W 0.5m underfloor heating unit 8sqm	23449
Low Surface Temperature 1350W 0.5m underfloor heating unit 9sqm	23450
Low Surface Temperature 1500W 0.5m underfloor heating unit 10sqm	23451
Low Surface Temperature 1800W 0.5m underfloor heating unit 12sqm	23452