



## Product Overview

With its contemporary aesthetic, the Onyx Exclusif shower tray provides a stylish yet strong showering solution, with a maximum capacity of 31.5 st (200kg) and a variety of sizes available to accommodate wheelchair users and carers.

Designed for those with reduced mobility, the textured surface finish ensures a high level of slip resistance, with the 26mm tray depth ideal for installing above the floor or recessing into it, offering the choice of low level or full level access.

## Features & Benefits

- + 26mm shallow depth tray can be installed above the floor for low-level access or recessed into it to enable level-access showering
- + Manufactured from SMC (Sheet-Moulding Compound) for strength and durability
- + Contemporary textured finish offers a reliably high level of slip resistance for reassurance when getting in/out of the shower
- + Rigid, webbed structure on the underside of the tray reinforces strength and provides excellent shock and impact resistance
- + Lightweight material, ensures a quick and easy installation
- + Can support up to 31.5st (200kg), suitable for wheelchair users or those with carers
- + Compatible with AKW Larenco, Level Best, Standard, Silverdale and Contour Opulence screens




## Warranty & Approvals



## Technical Specification

- + Made from GRP (Glass Reinforced Plastic) using the SMC process
- + Weight limit: 31.5st (200kg)
- + Lightweight, under 25kg
- + Trays offered in white (18 sizes) or black (13 sizes)
- + Matching waste cover included
- + Optional Chrome Plated Zinc Die-Cast Waste Cover available
- + Concealed waste positioned at one end
- + Can be trimmed to within 150mm of waste
- + Shallow depth waste available (54mm under the tray)
- + High water flow rate (up to 30 lpm)
- + Also designed for use with the DW90 dry waste or the PW90 pumped waste



## Dimensions

### Onyx Exclusif Shower Tray Product Codes:

Tray dimensions	White Tray only	Black Tray Only
800 x 800	12820WH	12820BK
900 x 900	12821WH	12821BK
1000 x 700	12822WH	–
1000 x 800	12823WH	12823BK
1200 x 700	12824WH	–
1200 x 800	12825WH	12825BK
1200 x 900	12826WH	12826BK
1400 x 700	12827WH	–
1400 x 800	12828WH	12828BK
1400 x 900	12829WH	12829BK
1600 x 700	12830WH	–
1600 x 800	12831WH	12831BK
1600 x 900	12832WH	12832BK
1700 x 700	12833WH	–
1700 x 800	12834WH	12834BK
1700 x 900	12835WH	12835BK
1800 x 800	12836WH	12836BK
1800 x 900	12837WH	12837BK

### Wastes:

*Must be ordered with the Onyx Exclusif*


GW90 Onyx Waste	25694
PW90 22mm Pumped Waste	25695
DW90 Waste for Onyx Tray	25696

### Optional Extras:

Pipe Adapter Kit	16-006-058
Onyx Exclusif Waste Cover - Chrome Plated Zinc Die-Cast	21-016-207

### Spares:

Onyx Exclusif Waste Cover - White	21-016-102
Onyx Exclusif Waste Cover - Black	21-016-103
Spare Dry Waste Non Return Valve	16-006-037



## Product Overview

The DW90 Dry Waste has been designed for use with Onyx Shower Tray range which can support a high flow rate of up to 30 lpm, while remaining a low-depth waste which is concealed beneath the shallow tray. A pipe adaptor kit is also available separately if this is required.

## Features & Benefits

- + Compact (90mm) design, compatible with the Onyx Shower Tray range
- + Shallow 54mm depth is useful for installation upon solid floors
- + Non-return valve prevents bad odour backflow
- + Meets performance requirements of BS EN 274 Part 2:2002
- + Trap will not dry out with sporadic use
- + Top access for easy cleaning
- + High flow rate (up to 30 lpm) for safe, efficient drainage

## Product Codes

*Must be ordered with the Onyx Shower Tray range*

DW90 Waste for Onyx Shower Trays	25696
----------------------------------	-------

## Optional Extras

Pipe Adaptor Kit	16-006-058
------------------	------------

Spare Dry Waste Non Return Valve	16-006-037
----------------------------------	------------



## Warranty & Approvals

